

Â SOLAR CELL (Listrik Tenaga Surya)



**SOLARCELL / SOLAR PANEL 50 watt / MODUL SURYA KONDISI BEKAS
80% BAGUS HARGA Rp 1,7 juta, LISTRIK TENAGA MATAHARI**



Merk siemens 46wp buatan USA
Dimensi: 33 X 108 X 3,5 cm
Ampere : 3,15amp
Volt : 18Volt

Di buat oleh SUNERGY INDONESIA **Solar Panel 50 watt Kondisi 100% Baru,
Bergaransi 5 Tahun Harga Rp 2.300.000,- / unit**



Klik dibawah ini untuk melihat spesifikasi panel surya:



Specification of Wweng Solar 50watt
SUNERGY INDONESIA
www.sunenergy.com

UNIT PRICE / UNIT	Rp 2.400.000,-
Minimum Power (Wp)	50W
Maximum Power Voltage(V)	17,5V
Maximum Power Current(A)	2,90A
Open Circuit Voltage(V)	21,6V
Short Circuit Current(A)	3,41A
Standard Test Condition	AM 1.5 Spectralance, 1000W/M ²
Temperature	25±0,5°C
Number of cells(W)	36PCS
Size of Module(mm)	1120*532*35mm
Module weight	13,5kg
Packing	15PCS/312*532*35mm
Dimension of carton	1520*532*35mm
Maximum System Voltage(V)	1000V
Load bearing	2725g/100cm ²
Output tolerance (%)	±0,5%
Temperature Range	-40°C ~ +85°C
Cell Efficiency (%)	1 (PVE) 14,5(%)
Dimension of Components	Monocrystalline Silicon
Warranty	Seven product warranty and 25 years lifetime

Remark: Reference
Certificate: ISO9001:2000, CE, IEC61215, ROHS

**Sudah Lulus Uji Standart International, dengan dibuktikan dengan Certificate:
ISO9001:2000, CE, IEC61215, ROHS**

Di buat oleh SUNERGY INDONESIA [Sistem Instalasi Solar panel / modul surya / Listrik Tenaga Surya](#)



Sistem Instalasi Listrik Tenaga Surya ada 2 cara yaitu

1. Sistem untuk menghasilkan arus AC 220V
2. Sistem untuk menghasilkan arus DC 12V

Lihat diagram di atas

Di buat oleh SUNERGY INDONESIA [Standar Packing Pengiriman solarcell](#)



Di buat oleh SUNERGY INDONESIA [SOLAR CELL / SOLAR PANEL BEKAS/SECOND BERBAGAI MERK DAN UKURAN, TAPI SEMUA 50WP HARGA Rp 1,7 juta/unit](#)



Di buat oleh SUNERGY INDONESIA [LISTRIK TENAGA SURYA / MATAHARI \(SOLARCELL \)](http://www.indosunergy.com), klik juga di www.indosunergy.com



Pemasangan panel surya



Merk R&S 50wp tampak belakang



Merk R&S 50wp tampak depan

Di buat oleh SUNERGY INDONESIA [JUAL LISTRIK TENAGA SURYA \(solar cell\) berbagai merk , kondisi SECOND/bekas, Harga Rp 1.700.000,- untuk semua merk yang 50 wp](http://www.indosunergy.com)



Gambar Solar Panel Merk BP-Solar 55wp

SPESIFIKASI PERALATAN LISTRIK TENAGA SURYA

UNTUK PEMESANAN SILAHKAN HUB NO. HP: 0819.318.32865 (bisa SMS)

Berikut saya tawarkan panel modul surya second dengan kondisi 85% baik/bagus..

adapun merk dan spesifikasinya adalah:

1. SOLEC

- made in USA
- voc : 17,4 V
- isc : 2,9 A
- WP : 50 wph
- Monocrystalin
- size : 30 X 130 cm

2. KYOCERA

- made in japan
- polycrystalin
- voc : 16,7 V
- isc : 2,88 A
- WP : 50 Wph
- Size : 445mm X 985mm X 36mm

3. R&S HOLLAND BELANDA

- Polycrystalin
- voc : 21,5 V
- isc : 2,75 A
- WP : 50 wph
- size : 49,8 X 99 cm

Untuk harga panel semua merk di atas adalah Harga Rp 1.700.000,- / lembar.

Cara Pembayaran: Tunai / via transfer BCA/MANDIRI

Kemas & Pengiriman: PAKKING DENGAN PETI KAYU Di buat oleh SUNERGY INDONESIA

[JUAL MODUL PANEL LISTRIK TENAGA SURYA, Merk ANIT ITALY](#)



Merk Anit / eureo solare italy

Negara Asal :Italia

Harga :Rp 1,700.000,- / lembar atau nego tergantung kuantity

Cara Pembayaran :Tunai / Transfer via Bank Mandiri / BCA

Kemas & Pengiriman :PAKKING DENGAN PETI KAYU

Keterangan :SPESIFIKASI PERALATAN LISTRIK TENAGA SURYA
UNTUK PEMESANAN SILAHKAN HUB NO. HP: 0819.318.32865 (bisa
SMS)

Berikut saya tawarkan panel modul surya second dengan
kondisi 80% baik/bagus..

adapun merk dan spesifikasinya adalah:

MERK EUREO SOLARE (ANIT)

- voc : 21,6 V
- isc : 3,08 A
- wp : 50 wph
- Size : 45 X 100 X 3,5 cm
- Polycrystalin / mono

Di buat oleh SUNERGY INDONESIA [CONTROLLER \(BCR \) untuk solar cell \(modul surya \)](#)



Merk Apple

Negara Asal :Jepang

Harga : tergantung besarnya Ampere

Cara Pembayaran : Tunai

Jumlah :Tersedia 5A, 10A, 15A dan 20A

Keterangan :

The controler 5A is a 5Amp capacity PWM charge discharge regulator. The Apple is equipped with an alarm to warn the user when battery is close to forced disconnect. The Apple uses latest technology ultra efficient switching components which results in extreme low voltage drop and almost no heat generation. The unit has very sturdy terminals.

The Controler 10A is a 10Amp capacity PWM charge discharge regulator. The Apple is equipped with an alarm to warn the user when battery is close to forced disconnect. The Apple uses latest technology ultra efficient switching components which results in extreme low voltage drop and almost no heat generation. The unit has very sturdy terminals.

The Controler 15A is a 15Amp capacity PWM charge discharge regulator. The Apple is equipped with an alarm to warn the user when battery is close to forced disconnect. The Apple uses latest technology ultra efficient switching components which results in extreme low voltage drop and almost no heat generation. The unit has very sturdy terminals.

The Controler 20A is a 20Amp capacity PWM charge discharge regulator. The Apple is equipped with an alarm to warn the user when battery is close to forced disconnect. The Apple uses latest technology ultra efficient switching components which results in extreme low voltage drop and

almost no heat generation. The unit has very sturdy terminals.
UNERGY INDONESIA

Di buat oleh S